

## Math 412: Adventure sheet on groups

DEFINITION: A **group** is a nonempty set  $G$  with an operation  $\star$  that satisfies the axioms

- Composition is associative: For all  $g_1, g_2, g_3 \in G$ , we have  $(g_1 \star g_2) \star g_3 = g_1 \star (g_2 \star g_3)$ ;
- There is an identity: There exists  $e \in G$  such that for all  $g \in G$ , we have  $g \star e = e \star g = g$ ;
- Every element has an inverse: For all  $g \in G$ , there exists  $h \in G$  such that  $g \star h = h \star g = e$ .

If we want to specify the operation, we may write  $(G, \star)$ .

We often just write  $gh$  for  $g \star h$ , and  $g^{-1}$  for the inverse of  $g$ .

DEFINITION: An **abelian group** is a group  $(G, \star)$  with one additional axiom

- For all  $g_1, g_2 \in G$ , we have  $(g_1 \star g_2) = (g_2 \star g_1)$  ( $\star$  is commutative).

DEFINITION: A **subgroup** of a group  $(G, \star)$  is a subset  $H$  that is itself a group under  $\star$ .

DEFINITION: An element  $g$  of a group  $(G, \star)$  has **order**  $n$  if  $n$  is the smallest natural number such that  $g^n = g \star g \star \cdots \star g$  ( $n$  times)  $= e$ . If no such  $n$  exists, we say that  $g$  has infinite order.

### A. SYMMETRY GROUP $D_3$ OF AN EQUILATERAL TRIANGLE.

There are six different ways to move an equilateral triangle around and put it in the same spot. For concreteness, let us assume the triangle has one side horizontal.

$k$ : “keeps put”

$r_{120}$ : rotate  $120^\circ$  counterclockwise

$r_{240}$ : rotate  $240^\circ$  counterclockwise

$f_1$ : flip the triangle around the vertical axis of symmetry (perpendicular to the horizontal side).

$f_2$ : flip the triangle around the axis of symmetry that is  $60^\circ$  counterclockwise from the vertical.

$f_3$ : flip the triangle around the axis of symmetry that is  $60^\circ$  clockwise from the vertical.

- (1) If you compose any two of these ways to move an equilateral triangle around and put it in the same spot, you get another way to move an equilateral triangle around and put it in the same spot, which must be one of the six things on the list. Make a table for the operation of composition of these six “rigid motions” of the triangle. Use care with order of operations: the convention should agree with our conventions on reading the table, namely the column corresponds to the first transformation applied, and row corresponds to the second.

	$k$	$r_{120}$	$r_{240}$	$f_1$	$f_2$	$f_3$
$k$						
$r_{120}$						
$r_{240}$						
$f_1$						
$f_2$						
$f_3$						

- (2) Explain why the set  $D_3$  of symmetries of an equilateral triangle forms a group, where the operation  $\star$  is composition. Be sure to clearly identify the identity element, and the inverse of each element.
- (3) Find the order of each element.

B. Consider a set of three objects, labelled  $x_1, x_2, x_3$ . Consider the following shuffles of them:

$n$ : no shuffling occurred

$s_{12}$ : swap the first and second items

$s_{13}$ : swap the first and third items

$s_{23}$ : swap the second and third items

$m_1$ : move the last item to the front

$m_2$ : move the front item to the end

(1) Composing two shuffles produces a shuffle. Make a table for composition of shuffles.

	$n$	$s_{12}$	$s_{13}$	$s_{23}$	$m_1$	$m_2$
$n$						
$s_{12}$						
$s_{13}$						
$s_{23}$						
$m_1$						
$m_2$						

(2) The set of all shuffles of three objects forms a group  $S_3$  under composition. What is the identity element  $S_3$ ? What is the inverse of each element? Find the orders of all elements of  $S_3$ .

C. EASY PROOFS: Let  $(G, \star)$  be a group.

(1) Prove that the identity element of  $G$  is unique.

(2) Fix  $g \in G$ . Prove that the inverse,  $g^{-1}$  of  $g$  is unique.

(3) For  $a, b \in G$ , show that there is exactly one element  $x \in G$  such that  $a \star x = b$ , and exactly one element  $y \in G$  such that  $y \star a = b$ .

(4) Think about what (3) says about the rows and columns of the table of a (finite) group. Why do we call this the **Sudoku Rule**?

D. COMPARING GROUPS

(1) Are either of the groups  $D_3$  or  $S_3$  abelian? How do you know from the tables?

(2) Show that  $\{k, r_{120}, r_{240}\}$  is a subgroup of  $D_3$ . Show that  $\{n, m_1, m_2\}$  is a subgroup of  $S_3$ .

(3) What do you think an **isomorphism** of groups should be? Are  $D_3$  and  $S_3$  isomorphic? How could you arrange the tables to make an isomorphism easier to see?

E. Let  $GL_2(\mathbb{R})$  be the set of  $2 \times 2$  invertible matrices with  $\mathbb{R}$  entries. Use basic properties of matrices to prove  $GL_2(\mathbb{R})$  is a group. Is it abelian? Find an element of order two, an element of order 4, and an element of infinite order. Find an abelian subgroup.

F. Is  $\mathbb{Z}_{24}$  a group under addition? What is the identity? What is the inverse of  $[a]_{24}$ ? Is it abelian? What is the order of  $[4]_{24}$ ? Show that the ideal of  $\mathbb{Z}_{24}$  generated by  $[4]_{24}$  is a subgroup of  $(\mathbb{Z}_{24}, +)$ . Find a subgroup with two elements. Find a subgroup with 3 elements.

G. Explain why  $\mathbb{Z}_{24}$  is NOT a group under multiplication. Explain why the subset of units  $\mathbb{Z}_{24}^\times$  in  $\mathbb{Z}_{24}$  is a group under multiplication. Is it abelian? What is the identity? Find the inverse of each element in the group  $(\mathbb{Z}_{24}^\times, \times)$ . Find the order of each element.

H. For which of the following pairs  $(G, \cdot)$ , where  $G$  is a set and  $\cdot$  is an operation on  $G$ , which ones are groups?

(1)  $(\mathbb{N}, +)$ .

(2)  $(\mathbb{N}, \times)$ .

(3)  $(\mathbb{Z}, +)$ .

(4)  $(\mathbb{Z}, \times)$ .

(5)  $(\mathbb{R}_{\geq 0}, +)$ .

(6)  $(\mathbb{R}, +)$ .

(7)  $(\mathbb{R}_{\geq 0}, \times)$ .

(8)  $(\mathbb{R}, \times)$ .

(9)  $(\mathbb{R} \setminus \{0\}, \times)$ .

(10)  $(\mathbb{Z}_n, +)$ .

(11)  $(\mathbb{Z}_n, \times)$ .

(12)  $(\mathbb{Z}_n \setminus \{0\}, \times)$ .

(13)  $(GL_2(\mathbb{R}), \times)$ , where  $GL_2(\mathbb{R})$  is the set of  $2 \times 2$  invertible matrices with entries in  $\mathbb{R}$ .

(14)  $(SL_2(\mathbb{R}), \times)$ , where  $SL_2(\mathbb{R})$  is the set of  $2 \times 2$  matrices with entries in  $\mathbb{R}$  and determinant 1.